

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 16/571 249


**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Wednesday

Date: 1/3/2007

Time: 12:31:31

 PALM INTRANET

Inventor Information for 10/571249

Inventor Name	City	State/Country
SHIMIZU, TOSHIO	TOKYO	JAPAN
KISHI, KAZUHIKO	TOKYO	JAPAN
HIGUCHI, KAZUO	TOKYO	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign E](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

JS 20060261123 A1	US- PGPUB	20061123	28	Cartridge	227/120	227/131	Kishi; Kazuhiko et al.
JS 20060152890 A1	US- PGPUB	20060713		Gas-insulated switchgear	361/605		Yokokura; Kunio et al.
JS 20060035533 A1	US- PGPUB	20060216		Wiring harness for vehicle	439/712		Yamano; Yoshiaki et al.
JS 20050269380 A1	US- PGPUB	20051208		Stapler and cartridge	227/155		Shimizu, Toshio et al.
JS 20050242149 A1	US- PGPUB	20051103		Residual staple amount detection device of electric stapler	227/2	227/131	Higuchi, Kazuo
JS 20050220703 A1	US- PGPUB	20051006		Process for producing synthesis gas for the fischer-tropsch synthesis and producing apparatus thereof	423/648.1	422/188; 422/190; 422/198	Ihara, Masaru et al.
JS 20050214948 A1	US- PGPUB	20050929		Method and system for evaluating lyophobicity of inner wall of fine tube including lyophobic film	436/60	422/68.1	Asuke, Shintaro et al.
JS 20050161921 A1	US- PGPUB	20050728		Passenger protection apparatus	280/735	280/753	Higuchi, Kazuo
JS 20050113958 A1	US- PGPUB	20050526		Numerically controlled device	700/181	700/87	Shimizu, Toshio et al.
JS 20040259965 A1	US- PGPUB	20041223		Electroconductive silicone rubber sponge	521/82	521/91	Higuchi, Kazuo et al.
JS 20040200636 A1	US- PGPUB	20041014		Enameled wire	174/120R		Hirai, Hisayuki et al.
JS 20040195288 A1	US- PGPUB	20041007		Staple detection mechanism of electric stapler	227/82	227/131	Higuchi, Kazuo et al.
JS 20040138370 A1	US- PGPUB	20040715		Preparation of a conductive liquid silicone rubber composition	524/495		Higuchi, Kazuo et al.
JS 20030168729	US- PGPUB	20030911		Insulating substrate, manufacturing method	257/700	257/633; 257/640;	Ishiwata, Yutaka et al.

A1				thereof, and module semiconductor device with insulating substrate		257/703; 257/758; 257/E23.062; 257/E23.08; 257/E23.194; 438/125; 438/622; 438/724	
JS 20020066953 A1	US- PGPUB	20020606		INSULATING SUBSTRATE INCLUDING MULTILEVEL INSULATIVE CERAMIC LAYERS JOINED WITH AN INTERMEDIATE LAYER	257/700	257/668; 257/701; 257/758; 257/E23.062; 257/E23.08; 257/E23.194; 438/118; 438/123; 438/125	ISHIWATA, YUTAKA et al.
JS 20010033262 A1	US- PGPUB	20011025		Image display apparatus and method thereof	345/89		Funakoshi, Akihiro et al.
JS 20010023887 A1	US- PGPUB	20010927		Stapler	227/155	227/152	Hakozaki, Katsuya et al.
JS 20010010401 A1	US- PGPUB	20010802		Semiconductor device having a wiring layer of copper	257/751	257/762	Koyama, Mitsutoshi et al.
JS 20010004988 A1	US- PGPUB	20010628		Cartridge for a motor- operated stapler	227/131		Yoshie, Toru et al.
JS 20010002666 A1	US- PGPUB	20010607		Switch gear and method of manufacturing thereof	218/134	218/139	Ito, Yoshihiro et al.
JS 7119142 32	USPAT	20061010		Preparation of a conductive liquid silicone rubber composition	524/588	524/424; 524/430; 524/431; 524/440; 525/477; 525/479; 528/15; 528/31; 528/32	Higuchi; Kazuo et al.
JS 7110851 32	USPAT	20060919		Numerically controlled device	700/181	700/86; 700/87	Shimizu; Toshio et al.
JS D507729 3	USPAT	20050726		Staple cartridge	D8/49		Kishi; Kazuhiko et al.

JS D507165 3	USPAT	20050712		Staple cartridge	D8/49		Kishi; Kazuhiko et al.
JS 6906258 32	USPAT	20050614		Enameled wire	174/36	174/110R; 174/120R	Hirai; Hisayuki et al.
JS 6897396 32	USPAT	20050524		Switch gear and method of manufacturing thereof	218/120	218/140; 218/154	Ito; Yoshihiro et al.
JS 6894670 32	USPAT	20050517		Image display apparatus and method thereof	345/89	345/50; 345/54; 345/55; 345/87; 345/90	Funakoshi; Akihiro et al.
JS 6892919 32	USPAT	20050517		Staple detection mechanism of electric stapler	227/2	227/131; 227/136; 227/155	Higuchi; Kazuo et al.
JS 6862012 31	USPAT	20050301		White point adjusting method, color image processing method, white point adjusting apparatus and liquid crystal display device	345/88	345/101; 345/102; 345/89	Funakoshi; Akihiro et al.
JS 6812136 32	USPAT	20041102		Method of making a semiconductor device having a multilayer metal film of titanium/titanium nitride/tungsten/tungsten carbide	438/629	257/62; 438/637; 438/646; 438/687	Koyama; Mitsutoshi et al.
JS 6605868 32	USPAT	20030812		Insulating substrate including multilevel insulative ceramic layers joined with an intermediate layer	257/703	174/524; 257/468; 257/485; 257/700; 257/701; 257/712; 257/713; 257/723; 257/731; 257/758; 257/762; 257/E23.062; 257/E23.08; 257/E23.194; 29/827; 29/830;	Ishiwata; Yutaka et al.

						29/852	
JS 6597063 31	USPAT	20030722		Package for semiconductor power device and method for assembling the same	257/687	257/675; 257/706; 257/717; 257/788; 257/E23.092; 257/E23.125; 257/E23.126; 257/E23.14	Shimizu; Toshio et al.
JS 6543667 32	USPAT	20030408		Cartridge for a motor-operated stapler	227/120	206/338; 227/131; 227/136	Yoshie; Toru et al.
JS 6484921 32	USPAT	20021126		Stapler	227/2	227/155; 227/5; 227/6	Hakozaki; Katsuya et al.
JS 6366262 31	USPAT	20020402		Method and apparatus for supporting multiple NPT display sessions on a single address	345/1.2	345/1.1; 710/109; 710/263; 715/733; 715/750	Amell; Steven Joseph et al.
JS 6214613 31	USPAT	20010410		Expression screening vector	435/320.1	435/252.3; 435/5; 435/6; 435/7.1; 530/387.1; 530/387.3; 536/23.1; 536/23.4; 536/23.5; 536/23.53	Higuchi; Kazuo et al.
JS 6201696 31	USPAT	20010313		Package for semiconductor power device and method for assembling the same	361/704	165/80.2; 165/80.3; 257/687; 257/706; 257/717; 257/E23.092; 257/E23.125; 257/E23.126; 257/E23.14; 361/705; 361/706; 361/707; 361/708; 361/709; 361/710; 361/712	Shimizu; Toshio et al.
JS 6194650 31	USPAT	20010227		Coated object and process for producing	136/256	427/214; 427/74;	Wakayama; Hiroaki et al.

				the same		502/101; 502/527.12	
JS 6168383 A	USPAT	20010102		Rotor blade for rotary-wing aircraft	416/228	415/119; 416/223R; 416/231B; 416/235; 416/237	Shimizu; Toshio
JS 5932235 A	USPAT	19990803		Jellied medicinal composition for oral administration	424/401	424/451; 424/464	Ninomiya; Hiroshi et al.
JS 5922426 A	USPAT	19990713		Paper feed roll, process for the preparation thereof and silicone rubber composition for paper feed roll	428/36.92	427/387; 428/447; 492/56; 523/212; 524/493; 524/588	Nagatsuka; Eiichi et al.
JS 5823415 A	USPAT	19981020		Cartridge for electric stapler	227/120	227/131; 227/136	Udagawa; Hiroshi et al.
JS 5791543 A	USPAT	19980811		Electric stapler	227/4	227/131; 227/155	Udagawa; Hiroshi et al.
JS 5777186 A	USPAT	19980707		Process for hydrogenating benzene in hydrocarbon oils	585/269	585/270; 585/271; 585/273; 585/274	Shimizu; Toshio
JS 5645937 A	USPAT	19970708		Thin film layered member	428/408	257/E23.111; 428/539.5; 428/688; 428/689; 428/697; 428/698; 428/699; 428/908.8	Noda; Shoji et al.
JS 5395466 A	USPAT	19950307		Back pasting apparatus and method	156/212	100/33R; 156/216; 156/247; 156/344; 156/353; 156/360; 156/468; 156/475; 156/479; 156/486; 156/492	Tukagoshi; Kouichi et al.
JS 5386139 A	USPAT	19950131		Semiconductor light emitting element with improved structure of	257/466	257/443; 257/446; 257/452;	Idei; Yasuo et al.

				groove therein		257/618; 257/622; 257/79; 257/88; 257/93; 257/96; 257/99; 257/E27.12; 257/E33.049; 372/46.01; 372/50.1	
JS 5380935 A	USPAT	19950110		Process for preparing 5-aminolevulinic acid	562/567	204/157.69	Takeya; Haruhiko et al.
JS 5321354 A	USPAT	19940614		Method for inspecting semiconductor devices	324/765	714/736	Ooshima; Yoshimasa et al.
JS D336336 S	USPAT	19930608		Crystallization furnace for dental prostheses	D24/176		Hakamatsuka Yasuharu et al.
JS D335539 S	USPAT	19930511		Casting machine for dental prostheses	D24/176		Hakamatsuka Yasuharu et al.
JS D335537 S	USPAT	19930511		Crystallization furnace for dental prostheses	D24/176		Hakamatsuka Yasuharu et al.
JS 5135960 A	USPAT	19920804		Sponge-forming organosiloxane composition	521/76	521/134; 521/154; 521/82; 521/91; 521/95; 528/15; 528/31; 528/32	Higuchi; Kazuo et al.
JS 5108813 A	USPAT	19920428		Sliding member	428/141	428/212; 428/336; 428/408; 428/469	Noda; Shoji et al.
JS 5093647 A	USPAT	19920303		Sliding electric parts	338/160	338/162; 338/176; 338/307; 338/308	Noda; Shoji et al.
JS 5068871 A	USPAT	19911126		Process for synthesizing diamond and apparatus therefor	373/17	118/715; 118/724; 118/725; 373/63;	Uchida; Kiyoshi et al.

						423/446; 427/249.8; 427/587; 427/593	
JS 4988979 A	USPAT	19910129		Fault inspection system for rotary machines	340/683	702/35; 73/660	Sasaki; Hiroaki et al.
JS 4887886 A	USPAT	19891219		Colored articles with interference layers made of a composite of silicon dioxide and silicon carbide	359/589	428/333; 428/704	Shimizu; Toshio et al.
JS 4864086 A	USPAT	19890905		Vehicle deceleration sensor	200/61.53	180/282	Akiyama; Akihiko et al.
JS 4858952 A	USPAT	19890822		Door checker for seat belt reacher system	280/802	16/82; 16/85; 292/265	Sasaki; Kiichi et al.
JS 4840325 A	USPAT	19890620		Seat belt tightening device	242/374	242/378.2; 242/381.1; 280/806	Higuchi; Kazuo et al.
JS 4750260 A	USPAT	19880614		Thermal head method of manufacturing	29/611	29/620; 29/621; 338/308; 338/309; 347/209; 427/402; 427/404; 427/97.5	Takeno; Shozo et al.
JS 4730804 A	USPAT	19880315		Seat slide rail device	248/429	297/344.1	Higuchi; Kazuo et al.
JS 4729780 A	USPAT	19880308		Centrifugal casting device	65/302	164/114; 164/287; 164/289; 65/71	Shimizu; Toshio
JS 4697827 A	USPAT	19871006		Seat belt device for a vehicle	280/808	297/481	Sasaki; Kiichi et al.
JS 4682789 A	USPAT	19870728		Seat belt forwarding device	280/801.1	297/481	Higuchi; Kazuo et al.
JS 4680593 A	USPAT	19870714		Thermal print head	347/205	347/209	Takeno; Shozo et al.
JS 4650215 A	USPAT	19870317		Seat belt forwarding device	280/809	74/470	Sasaki; Kiichi et al.
JS 4643449 A	USPAT	19870217		Bendable reach arm for a seat belt	280/808	297/481	Sasaki; Kiichi et al.
JS 4635963 A	USPAT	19870113		Seat belt device	280/801.1		Higuchi; Kazuo et al.
JS 4629664 A	USPAT	19861216		Liquid fuel cell	429/23		Tsukui; Tsutomu et

							al.
JS 4612261 A	USPAT	19860916		Fuel cell battery using acidic electrolyte	429/13	429/23	Tsukui; Tsutomu et al.
JS 4608395 A	USPAT	19860826		Silicone sponge rubber composition	521/92	521/125; 521/134; 521/154; 525/7; 525/8; 528/15; 528/31; 528/32	Hamada; Mitsuo et al.
JS 4597431 A	USPAT	19860701		Melting and pressure casting device	164/253	164/258; 164/335; 164/338.1	Hobo; Sumiya et al.
JS 4588660 A	USPAT	19860513		Fuel cell	429/35	429/37; 429/39	Shimizu; Toshio et al.
JS 4575119 A	USPAT	19860311		Seat belt device	280/801.1		Okuhara; Hisakazu et al.
JS 4562123 A	USPAT	19851231		Liquid fuel cell	429/27	429/101; 429/30; 429/53; 429/72	Shimizu; Toshio et al.
JS 4543378 A	USPAT	19850924		Polyamide composition	524/100	524/101; 524/606	Suhara; Akitc et al.
JS 4537840 A	USPAT	19850827		Fuel cell using organic, high-molecular weight electrolyte	429/33	429/34; 429/35	Tsukui; Tsutomu et al.
JS 4508362 A	USPAT	19850402		Passive seat belt device	280/804	280/802; 297/469; 297/473	Higuchi; Kazuo
JS 4433229 A	USPAT	19840221		Electrode roll for resistance welding	219/84	219/119; 439/17	Morikawa; Yonekichi et al.
JS 4365254 A	USPAT	19821221		Two-color recording paper and method and recording apparatus utilizing _the two-color recording paper	347/172	346/135.1; 430/258	Ozawa; Masaru et al.
JS 4328977 A	USPAT	19820511		Recording paper capable of recording images in two colors	503/204	347/172; 427/145; 427/148; 428/201; 428/41.6; 428/473.5; 428/481;	Ozawa; Masaru et al.

						428/483; 428/535; 428/913; 428/914; 503/208	
JS 4318100 A	USPAT	19820302		Automatic ground clutter rejection in weather pulse radar system	342/26D	342/159; 342/188	Shimizu; Toshio et al.
JS 4290946 A	USPAT	19810922		Preparation of hexamethyleneimine	540/612		Takahashi; Yasunobu et al.
JS 4271416 A	USPAT	19810602		Slit type ink recording apparatus	347/55	347/44	Shimizu; Toshio et al.
JS 4251297 A	USPAT	19810217		Method for manufacturing magnetic head using boronizing treatment	148/121	148/122; 148/279; 29/603.08; 29/603.12; 427/127; 427/252; 427/383.7	Kawabata; Hidetsugu et al.
JS 4192545 A	USPAT	19800311		Seat-back frame for an automotive vehicle	297/216.13	297/483	Higuchi; Kazuo et al.
JS 4007302 A	USPAT	19770208		Case-hardening method for carbon steel	148/278	427/249.19; 427/253; 427/399	Hashimoto; Hiroshi et al.
JS 3988515 A	USPAT	19761026		Case-hardening method for carbon steel	427/249.18	427/249.19; 427/253; 427/399; 428/457	Hashimoto; Hiroshi et al.
JS 3905876 A	USPAT	19750916		Electrorecording sheet	205/55	205/54; 346/135.1; 347/172; 347/199; 347/221	Yoshino; Kimiaki et al.
JS 3892593 A	USPAT	19750701	8	Alkaline cells	429/173	429/174; 524/509; 525/133	Ieki; Mitsuru et al.
JS 3808494 A	USPAT	19740430		FLEXIBLE CHANNEL MULTIPLIER	313/103R	252/500; 252/511; 252/514; 313/103CM; 313/105CM; 313/105R	Hayashi; Tomonao et al.
JS 3499998 A	USPAT	19700310		MAGNETIC TRANSDUCING	360/130.31	226/191; 360/130.21	IEKI MITSURU et

				APPARATUS HAVING TRANSDUCER- ENGAGING DRIVE CAPSTAN WITH ELASTIC TIRE [TEXT AVAILABLE IN USOCR DATABASE]				al.
--	--	--	--	---	--	--	--	-----